



BELOW COMPLETED BY VACCINE STAFF: Only complete if KPHC is unavailable					
	LIM#	Vaccine Descriptor as in KIDDS	Type	Age	Dose/Route/Site
	1111	COVID-19, mRNA, LNP-S, PF (Pfizer-BioNTech)	MDV	16+ yrs	0.3 mL IM L/R Deltoid
	1110	COVID-19, mRNA, LNP-S, PF (Moderna)	MDV	18+ yrs	0.5 mL IM L/R Deltoid
	1118	COVID-19 vaccine, PF (Janssen/J&J)	MDV	18+ yrs	0.5 mL IM L/R Deltoid

[illegible]

Signature: _____ Date Administered: _____ (MM/DD/YYYY)

COVID-19 Vaccine Components

Johnson & Johnson/Janssen	Pfizer-BioNTech	Moderna
recombinant, replication-incompetent adenovirus type 26 expressing the SARS-CoV-2 spike protein	messenger ribonucleic acid (mRNA)	messenger ribonucleic acid (mRNA)
citric acid monohydrate	2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide	[PEG] 2000 dimyristoyl glycerol [DMG]
trisodium citrate dihydrate	1,2-distearoyl-sn-glycero-3-phosphocholine	1,2-distearoyl-sn-glycero-3-phosphocholine [DSPC]
ethanol	cholesterol	cholesterol
2-hydroxypropyl- β -cyclodextrin (HBCD)	(4-hydroxybutyl)azanediyl) bis(hexane-6,1-diyl) bis(2-hexyldecanoate)	SM-102, polyethylene glycol
polysorbate-80	potassium chloride	tromethamine
sodium chloride	monobasic potassium phosphate	tromethamine hydrochloride
	sodium chloride	acetic acid
	dibasic sodium phosphate dihydrate	sodium acetate
	sucrose	sucrose

INFORMATION ABOUT ALLERGIC REACTIONS

COVID-19 vaccines are safe for most people with allergies. People who are allergic to most types of allergens (like animals, food, pollen, latex, or most medicines) are NOT more likely to have an allergic reaction to the COVID-19 vaccine.

According to the US Centers for Disease Control and Prevention (CDC), severe allergic reaction after vaccination is extremely rare. However, if you've had an allergic reaction to an ingredient in one of the vaccines, you should NOT receive that vaccine. We will screen for possible allergies at your vaccine appointment.

If you've had swelling, hives, trouble breathing, or anaphylaxis within 4 hours of receiving any previous vaccine or injectable medication, the risk of developing another severe allergic reaction to the COVID-19 vaccines is not fully known. You can still receive the COVID-19 vaccine based on CDC guidance. You'll be observed for 30 minutes afterward as a safeguard. All vaccination sites have the appropriate medications and equipment to treat allergic reactions.

If you're concerned about a severe allergic reaction, you may consider waiting to get the vaccine until more information is available. If you'd like to discuss the risks and benefits of vaccination further, please contact your doctor.